



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/814,141

04/01/2004

Heung-Lyul Cho

0630-1979P

6546

2292 7590 05/21/2008
BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747

EXAMINER

SCHECHTER, ANDREW M

ART UNIT

PAPER NUMBER

2871

NOTIFICATION DATE

DELIVERY MODE

05/21/2008

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

Office Action Summary	Application No. 10/814,141	Applicant(s) CHO ET AL.	
	Examiner ANDREW SCHECHTER	Art Unit 2871	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 February 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3, 15, 16, 20, 21 and 23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 15, 16, 20, 21 and 23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 28 February 2008 have been fully considered but they are not persuasive. Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

The applicant argues [pp. 7-8] that *Deane* uses the metallization layer 23 as an etch mask to remove the channel part of the doped silicon layer 19 (high-concentrated N+ layer above the channel region), in contrast to the claimed invention which has been amended to recite “removing the conductive layer including the high-concentrated N+ layer above the channel region by using the photoresist layer pattern as a mask” [emphasis added]. In other words, *Deane* patterns the source/drain electrodes using a photoresist mask, removes the photoresist mask, and then removes the N+ layer above the channel region. In contrast, the claimed invention patterns the source/drain electrodes and removes the N+ layer above the channel region, using the photoresist mask for both processes, and only then removes the photoresist mask. This is a distinction between the methods, but not a patentable one in the view of the examiner. The two sequences are considered art-recognized equivalents, as evidenced by *Chae*, for instance, discussed below in the new grounds of rejection of claim 1-3, 15, and 16. The applicant's sequence is also disclosed by *Watanabe*, for instance, discussed below.

This argument does not apply to claim 20, which was not amended in an analogous manner to claim 1. The applicant has amended the limitation of claim 22 into

independent claim 20, but the other amendments do not patentably distinguish claims 20, 21, and 23 over the art previously cited, so for claims 20, 21, and 23, the previous grounds of rejection are maintained.

Claim Objections

2. Claim 1 is objected to because of the following informalities: in line 13, "applying a mask in" should be "applying a mask over"; in line 19, "forming a contact hole over" should be "forming a contact hole in". Appropriate correction is required.

3. Claim 1 is objected to because of the following informalities: the phrase "sequentially removing the conductive layer including the high-concentrated N+ layer above the channel region by using the photoresist layer pattern as a mask to a source/drain electrode" should be "sequentially removing the conductive layer and the high-concentrated N+ layer above the channel region by using the photoresist layer pattern as a mask to form a source/drain electrode". With "including" instead of "and", it makes little sense to have "sequentially", and the conductive layer clearly does not "include" the N+ layer, since they have been separately recited in the claim. Also, "to a source/drain electrode" is missing the verb "form". Appropriate correction is required.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-3, 15, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Deane et al.*, U.S. Patent No. 6,686,229 in view of official notice / admitted prior art, and further in view of *Chae*, US 2002/0135710.

Deane discloses [see Fig. 1, for instance] a fabrication method of a liquid crystal display device, comprising: forming a gate line [5] on a substrate by applying a gate photoresist pattern by printing [col. 7, lines 60-67], sequentially forming a gate insulating layer [13], a semiconductor layer [17], and a high-concentrated N+ layer [19] over the gate line; forming an active region including the high-concentrated N+ layer by applying an active photoresist pattern by printing [col. 7, lines 60-67], wherein the active region is formed by sequentially removing the high-concentrated N+ layer and the semiconductor layer using the active photoresist pattern formed by printing as a mask [see Fig. 1b]; removing the active resist pattern [inherent]; forming a conductive layer [23] over the active region; forming a source/drain electrode [29, 27]; forming a passivation layer [33] over the source/drain electrode; forming a contact hole [35] in the passivation layer by applying a contact hole photoresist pattern [34] by printing [col. 6, lines 17-22], and forming a pixel electrode [37] on the passivation layer by printing a pixel electrode photoresist pattern [col. 7, lines 60-67].

For the steps of forming the gate line, forming the semiconductor layer and N+ layer, and forming the pixel electrode, the reference describes directly printing the layers onto the substrate [as can be seen from the "tails" shown in the figures, for instance]. However, the reference also explicitly states [col. 7, lines 60-67] that these

printing processes can be replaced with the process of covering the substrate with the material of the layer, printing a photoresist pattern onto the material, and etching to pattern the layer. The reference also provides motivation to do so, in that it avoids the need to use conventional photolithography to process the photoresists, thus lowering costs while not needing to directly print the layer. The examiner has therefore treated the relevant claim limitations as explicitly disclosed by the reference, as noted above; alternatively, they could be considered as not disclosed by the particular embodiment of Fig. 1 (and initial discussion thereof), but obvious to one of ordinary skill in the art at the time of the invention due to these teachings of *Deane* [col. 7, lines 60-67]. In either case, these claim limitations are met by *Deane*.

Deane does not explicitly disclose depositing a photoresist layer over the conductive layer, applying a mask over the photoresist layer, performing a lithography process, to thereby form the source/drain electrode. Instead, *Deane* merely states that the conductive layer is "then patterned using conventional photolithography" [col. 5, lines 35-36]. The examiner takes official notice that it was well-known in the art for conventional photolithography to include steps of depositing a photoresist layer over a conductive layer, applying a mask over the photoresist layer, and performing a lithography process to form a photoresist layer pattern [this taking of official notice was not traversed by the applicant, therefore the statement is considered admitted prior art, see MPEP 2144.04]. It would have been obvious to one of ordinary skill in the art at the time of the invention to have these steps in the method of *Deane*, motivated by the

desire to use conventional photolithographic techniques, having high reliability and precision, to form the source and drain electrodes.

Deane does not disclose sequentially removing the conductive layer and the high-concentrated layer above the channel region by using the photoresist layer pattern as a mask to form a source/drain electrode. Instead, the photoresist layer pattern is used as a mask to remove the conductive layer to form a source/drain electrode and the photoresist layer pattern is then removed; the source/drain electrodes themselves (instead of the identically shaped photoresist layer pattern) are then used as the mask to remove the high-concentrated layer above the channel region.

Chae discloses [see Fig. 6C, paragraph 0061, for instance] a method of forming an analogous TFT, in which the source/drain electrodes [35, 37] are formed, the photoresist is removed, and the source/drain electrodes are then used as the mask to remove the high-concentrated layer [47], just as in *Deane*. *Chae* then goes on to say [paragraph 0062] that alternatively the photoresist can be left in place and used as the mask in removing the high-concentrated layer, just as in the present application. This is evidence that the two sequences are considered art-recognized equivalents. It would have been obvious to one of ordinary skill in the art at the time of the invention to use the photoresist as the mask for removing the high-concentrated layer, motivated by the art-recognized equivalence of the two methods.

Claim 1 is therefore unpatentable.

The mask (for patterning the source and drain electrodes) includes a channel region [corresponding to region 24 in Fig. 1c, the region between the source and drain

electrodes], so claim 2 is also unpatentable. Since the other steps are done by printing rather than conventional photolithography, the mask applied over the photoresist layer in the step of applying the mask is the only mask applied throughout the method of the independent claim, so claim 15 is also unpatentable.

Considering the limitations of claims 3 and 16, the examiner takes official notice that roller printing and inkjet printing are known in the art pattern [this taking of official notice was not traversed by the applicant, therefore the statement is considered admitted prior art, see MPEP 2144.04]. It would have been obvious to one of ordinary skill in the art to use either as the printing technique in *Deane*, motivated by their being reliable, cost-effective techniques for printing. Claims 3 and 16 are therefore unpatentable.

6. Claims 20, 21, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Deane et al.*, U.S. Patent No. 6,686,229 in view of official notice / admitted prior art.

Deane discloses [see Fig. 1, for instance] a fabrication method of a liquid crystal display device, comprising: forming a gate line [5] on a substrate by applying a gate photoresist pattern by printing [col. 7, lines 60-67], sequentially forming a gate insulating layer [13], a semiconductor layer [17], and a high-concentrated N⁺ layer [19] over the gate line; forming an active region including the high-concentrated N⁺ layer by applying an active photoresist pattern by printing [col. 7, lines 60-67]; forming a conductive layer [23] over the active region; forming a source/drain electrode [29, 27]; forming a passivation layer [33] over the source/drain electrode; forming a contact hole [35] in the

passivation layer by applying a contact hole photoresist pattern [34] by printing [col. 6, lines 17-22], and forming a pixel electrode [37] on the passivation layer by printing a pixel electrode photoresist pattern [col. 7, lines 60-67].

For the steps of forming the gate line, forming the semiconductor layer and N⁺ layer, and forming the pixel electrode, the reference describes directly printing the layers onto the substrate [as can be seen from the "tails" shown in the figures, for instance]. However, the reference also explicitly states [col. 7, lines 60-67] that these printing processes can be replaced with the process of covering the substrate with the material of the layer, printing a photoresist pattern onto the material, and etching to pattern the layer. The reference also provides motivation to do so, in that it avoids the need to use conventional photolithography to process the photoresists, thus lowering costs while not needing to directly print the layer. The examiner has therefore treated the relevant claim limitations as explicitly disclosed by the reference, as noted above; alternatively, they could be considered as not disclosed by the particular embodiment of Fig. 1 (and initial discussion thereof), but obvious to one of ordinary skill in the art at the time of the invention due to these teachings of *Deane* [col. 7, lines 60-67]. In either case, these claim limitations are met by *Deane*.

Deane does not explicitly disclose depositing a photoresist layer over the conductive layer, applying a mask over the photoresist layer, performing a lithography process, to thereby form the source/drain electrode. Instead, *Deane* merely states that the conductive layer is "then patterned using conventional photolithography" [col. 5, lines 35-36]. The examiner takes official notice that it was well-known in the art for

conventional photolithography to include steps of depositing a photoresist layer over a conductive layer, applying a mask over the photoresist layer, and performing a lithography process [this taking of official notice was not traversed by the applicant, therefore the statement is considered admitted prior art, see MPEP 2144.04]. It would have been obvious to one of ordinary skill in the art at the time of the invention to have these steps in the method of *Deane*, motivated by the desire to use conventional photolithographic techniques, having high reliability and precision, to form the source and drain electrodes.

The above represents the grounds of rejection of claim 1 before its amendment on 28 February 2008.

Considering the additional limitations of claim 20, the N⁺ layer is an impurity-doped layer, and the conventional photolithography process discussed above includes using the patterned photoresist layer to pattern the conductive layer to form a source and a drain electrode over the active region. This represents the grounds of rejection of claim 20 prior to the amendments of 28 February 2008.

Considering the amendments of 28 February 2008, as discussed above the step of forming the gate line includes applying a gate photoresist pattern on the substrate by printing, and removing the gate photoresist pattern is inherent; as discussed above the source and drain electrodes are formed using the patterned photoresist layer, and removing the patterned photoresist layer is inherent. All the limitations of the amended claim 20 are therefore met as well, so claim 20 is unpatentable.

Since the other steps are done by printing rather than conventional photolithography, the mask applied over the photoresist layer in the step of applying the mask is the only mask applied throughout the method of the independent claim, so claim 21 is also unpatentable. As discussed above, the step of forming the active region includes applying an active photoresist pattern including the impurity-doped layer by printing, so claim 23 is also unpatentable.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US 2002/0003589 to *Watanabe et al.* also discloses [see Figs. 10-12] the method sequence in which the photoresist layer pattern is first used as a mask to wet etch the source/drain electrodes, and then left in place and used as the mask to dry etch the high-concentrated N⁺ layer above the channel region, before finally being removed.

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew Schechter whose telephone number is (571) 272-2302. The examiner can normally be reached on Monday - Friday, 9:00 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/814,141
Art Unit: 2871

Page 12

/Andrew Schechter/
Primary Examiner, Art Unit 2871
Technology Center 2800
16 May 2008